5469795/2022/VIG-II-MAU01

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – MA&UD - Sri M. Surendra Babu, the then Executive Engineer, P.H. Special Division, Narasaraopet and two (2) others - Allegations on verification of works i) Water Supply Scheme under UIDSSMT and ii) Water Supply Improvements Scheme under HUDCO Phase-III in Sattenapalli, Guntur District - Disciplinary Proceedings instituted under Rule-20 of Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991 – Enquiry Conducted - Further action dropped - Orders - Issued.

MUNICIPAL ADMINISTRATION & URBAN DEVELOPMENT (Vig.II) DEPARTMENT

G.O.Rt.No.43

Dated:27.01.2022
Read the following:-

1) From General Administration (V&E) Department, Vigilance Report No.13 (1614/V&E/E1/2008-5), dated.13.03.2012.
2) From the ENC(PH), Lr.No.32/Sattenapalli/CS2/2012, dt.19.05.2012
3) G.O.Rt.Nos.775 to 777, MA&UD (E1) Department, dated.13.06.2012.
4) WSD of Sri M.Nageswara Rao, Dy.E.E. (PH), Chilakaluripet, dt.17.08.2012 and Sri S.Chandra Sekhara Rao, A.E., Sattenapalli, dt.21.08.2012 received through ENC (PH), A.P., Hyderabad, Lr.No.35/Spalli/CS2/2012, dated.29.10.2012.
5) WSD of Sri M.Surendra Babu, E.E., Guntur Municipal Corporation, dt.20.09.2012 received through ENC (PH), A.P., Hyderabad, Lr.No.35/Sattenapalli/CS2/2012, dated.31.01.2014.
6) G.O.Rt.No.42& 43, MA&UD (Vig.II.1) Department, dated.21.01.2019.
7) Lr.No.1725M/Con/STP/Estt/EC3/2020,dt.08.10.2020.
8) Govt.Memo.No.9171/Vig.II/2012, dt.28.07.2021.
9) From the ENC(PH), Lr.13399/V&E/CS2/2017, dated.21.09.2021.

***

O R D E R:

In the reference 1st read above, based on the Report of G.A. (V&E) Dept. on allegations of irregularities took place in the engineering works of Sattenapally Water Supply Scheme, Govt. decided to initiate disciplinary action against (1) Sri M. Surendra Babu, the then Executive Engineer, P.H. Special Division, Narasaraopet (2) Sri M.Nageswara Rao, the then DEE, PH, Sattenapally and (3) Sri S.Chandra Sekhar Rao, the then AE., PH, Sattenapalli (now retired).

2. In the reference 2nd read above, the Engineer-in-Chief (Public Health), A.P., Hyderabad had furnished the draft articles of charges against the above mentioned officials for irregularities took place in the engineering works of Sattenapally Water Supply Scheme. Accordingly, Government issued charges against the above mentioned officers duly following due procedure laid down in Rule-20 read with Rule-24 of APCS(CCA) Rules, 1991 in the reference 3rd read above.

3. In the reference 4th & 5th read above, all charged officers submitted their Written Statement of Defenses. After examination of the Written Statement of Defense of charged offices, the Government in the reference 6th read above,

(P.T.O)

issued orders appointing Sri N.Sreenivasulu, Superintending Engineer-cum-Inquiry Officer, PH Quality Control Circle, Guntur as an Inquiry Officer and the Commissioner, Sattenapalli Municipality as Presenting Officer to inquire into the charges framed.

4. In the reference 7th read above, the Enquiry Officer has submitted his enquiry report and held that the charges framed against all the charged officers are not proved.

5. In the reference 8th read above, a copy of the Enquiry Report has been communicated to all the Charged Officers with a direction to submit their written representations on the findings of the Enquiry Officer, if any.

6. In the reference 9th read above, the ENC(PH), Guntur forwarded the Written representations of the (3) Charged Officers on the findings of their enquiry report communicated to them.

7. After careful examination of the matter, Government have decided to drop further action against Charged Officers viz., (1) Sri M. Surendra Babu, the then Executive Engineer, P.H. Special Division, Narasaraopet (2) Sri M.Nageswara Rao, the then DEE, PH, Sattenapally and (3) Sri S.Chandra Sekhar Rao, the then AE., PH, Sattenapalli (now retired), as the charges held not proved against them in the enquiry.

8. Accordingly, Government hereby drop further action against Sri M. Surendra Babu, the then Executive Engineer, P.H. Special Division, Narasaraopet, Sri M.Nageswara Rao, the then DEE, PH, Sattenapally and Sri S.Chandra Sekhar Rao, the then AE., PH, Sattenapalli (now retired).

9. The Engineer-in-Chief (Public Health), A.P, Guntur shall take necessary action in the matter accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

Y. SRILAKSHMI
SPECIAL CHIEF SECRETARY TO GOVERNMENT

To
Sri M. Surendra Babu, the then Executive Engineer, P.H. Special Division, Narasaraopet - **through** the ENC(PH), A.P, Guntur.
Sri M.Nageswara Rao, the then DEE, PH, Sattenapally
- **through** the ENC(PH), A.P, Guntur.
Sri S.Chandra Sekhar Rao, the then AE., PH, Sattenapalli (now retired)
- **through** the ENC(PH), A.P, Guntur.
The Engineer-in-Chief (Public Health), A.P, Guntur.

Copy to:
The Secretary, APVC, 5th Building, AP Secretariat, Velagapudi.
Sf/Sc.

//FORWARDED BY ORDER //

SECTION OFFICER.